

Interview Summary	Application No.	Applicant(s)	
	09/637,800	BLACK ET AL.	
	Examiner	Art Unit	
	Sahera Halim	2157	

All participants (applicant, applicant's representative, PTO personnel):

(1) Sahera Halim. (3) _____

(2) Christopher L. Bernard (Reg. # 48,234). (4) _____

Date of Interview: 14 December 2006.

Type: a) ☒ Telephonic b) ☐ Video Conference
c) ☐ Personal [copy given to: 1) ☐ applicant 2) ☐ applicant's representative]

Exhibit shown or demonstration conducted: d) ☐ Yes e) ☐ No.
If Yes, brief description: _____

Claim(s) discussed: 1-28.

Identification of prior art discussed: _____

Agreement with respect to the claims f) ☒ was reached. g) ☐ was not reached. h) ☐ N/A.

Substance of Interview including description of the general nature of what was agreed to if an agreement was reached, or any other comments: The applicant agreed to amend the claims by adding depending claims to the independ claims in order to put the case in better position for allowance.

(A fuller description, if necessary, and a copy of the amendments which the examiner agreed would render the claims allowable, if available, must be attached. Also, where no copy of the amendments that would render the claims allowable is available, a summary thereof must be attached.)

THE FORMAL WRITTEN REPLY TO THE LAST OFFICE ACTION MUST INCLUDE THE SUBSTANCE OF THE INTERVIEW. (See MPEP Section 713.04). If a reply to the last Office action has already been filed, APPLICANT IS GIVEN A NON-EXTENDABLE PERIOD OF THE LONGER OF ONE MONTH OR THIRTY DAYS FROM THIS INTERVIEW DATE, OR THE MAILING DATE OF THIS INTERVIEW SUMMARY FORM, WHICHEVER IS LATER, TO FILE A STATEMENT OF THE SUBSTANCE OF THE INTERVIEW. See Summary of Record of Interview requirements on reverse side or on attached sheet.

Examiner Note: You must sign this form unless it is an Attachment to a signed Office action.

Examiner's signature, if required

PROPOSED AMENDMENTS TO THE CLAIMS

1. (Currently amended): A method of operating a telecommunications system, comprising:

sending a first metadata file from a network device to an external management system, wherein the first metadata file enables the external management system to learn how to configure the network device and how to manage accounting data, statistics, security, and fault logging from the network device;

generating a first management data file within the network device;

sending the first management data file from the network device to the external management system; [[and]]

processing the first management data file in accordance with the first metadata file in the external management system for managing the network device;

sending a second metadata file from one of the network device and a second network device to the external management system, wherein the second metadata file enables the external management system to learn how to configure the network device and how to manage accounting data, statistics, security, and fault logging from the network device;

generating a second management data file within the network device;

sending the second management data file from the network device to the external management system; and

processing the second management data file in accordance with one of the first metadata file and the second metadata file.

2. (Original): The method of claim 1, wherein the first management data file is generated asynchronously with respect to the processing of the first management data file.

3. (Original): The method of claim 1, wherein the first management data file is generated synchronously with respect to the processing of the first management data file.

4. (Original): The method of claim 1, wherein the first metadata file is a JAVA class file.

5. (Original): The method of claim 1, wherein sending the first metadata file and first management data file from the network device to the external management system comprises:

 sending the first metadata file and first management data file from the network device to an external file transfer system.

6. (Original): The method of claim 1, wherein sending the first management data file comprises:

 exccuting a file transfer protocol push.

7. (Original): The method of claim 1, wherein sending the first metadata file comprises:

 executing a file transfer protocol push.

8. (Original): The method of claim 1, further comprising:

 generating a first data summary file corresponding to the first management data file; and

 sending the first data summary file to the external management system, wherein the first management data file is processed in accordance with both the first data summary file and the first metadata file.

9. (Original): The method of claim 8, wherein sending the first data summary file comprises:

 executing a file transfer protocol push.

10. (Canceled)

11. (Canceled)

12. (Canceled)

13. (Previously presented): The method of claim 1, further comprising:

adding a hardware module to the network device;

downloading a second metadata file to the network device corresponding to the hardware module;

sending the second metadata file from the network device to the external management system, wherein the second metadata file enables the external management system to learn how to configure the hardware module and how to manage accounting data, statistics, security, and fault logging from the hardware module;

generating a second management data file within the network device;

sending the second management data file from the network device to the external management system; and

processing the second management data file in accordance with the second metadata file.

14. (Previously presented): The method of claim 1, further comprising:

downloading a modified first metadata file to the network device;

sending the modified first metadata file from the network device to the external management system, wherein the modified first metadata file enables the external management system to learn how to configure the network device and how to manage accounting data, statistics, security, and fault logging from the network device;

generating a second management data file within the network device;

sending the second management data file from the network device to the external management system; and

processing the second management data file in accordance with the modified first metadata file.

15. (Original): The method of claim 1, wherein the external management system comprises a data collector server.

16. (Original): The method of claim 1, wherein the external management system comprises a network manager server.

17. (Original): The method of claim 1, wherein the external management system comprises a billing server.

18. (Currently amended): A method of operating a telecommunications system, comprising:

 sending a first plurality of metadata files from a first network device to an external management system, wherein the first plurality of metadata files enable the external management system to learn how to configure the first network device and how to manage accounting data, statistics, security, and fault logging from the first network device;

 generating a first plurality of management data files within the first network device;

 sending the first management data files from the first network device to the external management system; [[and]]

 processing each of the first management data files in accordance with a corresponding one of the first metadata files in said external management system for managing the network device;

sending a second plurality of metadata files from a second network device to the external management system, wherein the second plurality of metadata files enable the external management system to learn how to configure the second network device and how to manage accounting data, statistics, security, and fault logging from the second network device;

generating a second plurality of management data files within the second network device;

sending the second management data files from the second network device to the external management system; and

processing each of the second management data files in accordance with a corresponding one of the second metadata files.

19. (Original): The method of claim 18, wherein the first management data files are generated asynchronously with respect to the processing of the first management data files.

20. (Original): The method of claim 18, wherein the first management data files are generated synchronously with respect to the processing of the first management data files.

21. (Original): The method of claim 18, wherein the first metadata files are JAVA class files.

22. (Canceled)

23. (Previously presented): The method of claim 18, further comprising:

adding a hardware module to the first network device;

downloading a second plurality of metadata files to the network device corresponding to the hardware module;

sending a second metadata files from the network device to the external management system, wherein the second metadata files enable the external management system to learn how to configure the hardware module and how to manage accounting data, statistics, security, and fault logging from the hardware module;

generating a second plurality of management data files within the network device; sending the second management data files from the network device to the external management system; and

processing each of the second management data files in accordance with a corresponding one of the second metadata files.

24. (Original): The method of claim 18, wherein the external management system comprises a data collector server.

25. (Original): The method of claim 18, wherein the external management system comprises a network manager server.

26. (Original): The method of claim 18, wherein the external management system comprises a billing server.

27. (Currently amended): A telecommunications system, comprising:

a network device including an internal management subsystem capable of generating a management data file; and

an external management system, wherein the internal management subsystem is capable of pushing the management data file and a corresponding metadata file to the external management system and the external management system is capable of processing data in the management data file in accordance with one of the metadata file and a metadata file received from another network device for managing and configuring the network device;

wherein the metadata files enable[[s]] the external management system to learn how to configure the network device and how to manage accounting data, statistics, security, and fault logging from the network device.

28. (Original): The telecommunications system of claim 27, wherein the metadata file comprises a JAVA class file.